



FLUID MIXER

MXFMS

- Mixes fluid materials such as self-leveling, cement-based grout, and other materials.
- Cuts mixing time in half.
- Eliminated fatigue for transporting material around job site once mixed.
- Sturdy steel frame.
- Rubber wheels.
- Bucket capacity of 20 gallons
- Universal attachment for drills mixers. from Ø 40mm to 60mm.
- Conveyor for fluid mix available as an accessory.

CAPACITY	SCREW ATTACHMENT	DIMENSIONS	UNIT NET WEIGHT
20 gallons	14 M	61 x 66 xh 95cm 24" x 26" xh 37½"	28kg 62 lbs.




FLUID DRILL

MXDRILL

- Mixes mortar, floor screed, plasters, cement, concrete, grout and adhesive for tiles, epoxy and resins.
- Two variable speeds controlled from the dual-handle.
- Dual rotation speeds with electronic speed control.
- Ergonomic design of the handles for optimal grip.
- Mixing paddle screws on with attachment 14M
- Use with the Fluid mixer with a 20 gal. capacity.

MOTOR	RPM	CAPACITY	DIMENSIONS	UNIT NET WEIGHT
110vlt. / 0.5hp	motor: 1680 bucket: 66	up to 100 lbs.	60 x 51 xh 77cm 23 ³ / ₈ " x 20" xh 30"	34kg 75 lbs.

MIXERS



MIXERS




ACCESSORIES



GFAFR

Height adjustable gauge rake for self-leveling. Pole not included.



MXFMSC

Conveyor spout for fluid mix bucket.



MXFMB

Replacement or additional 20 gal. bucket for fluid mixer.



GFAFRSK

Pair of ski rails for gauge rake. Screws included.